


RGT 17-66

GRU A TORRE _ TOP LESS CRANE



TANPROJE
Teknoloji Müh. Müş. Taah. San. Tic. Ltd. Şti.

ULTRALIFT CONTROL



A4 FEM1.001



DIN 15018/15019



4,0 T ULTRALIFT CONTROL

67,4 m	31,5	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	m
	4,00	3,93	3,66	3,43	3,22	3,04	2,87	2,72	2,58	2,45	2,33	2,22	2,12	2,03	1,95	1,87	1,79	1,72	1,66	t
61,5 m	33,5	34	36	38	40	42	44	46	48	50	52	54	56	58	60					m
	4,00	3,93	3,69	3,47	3,27	3,09	2,92	2,78	2,64	2,52	2,40	2,29	2,20	2,10	2,02					t
55,6 m	36,8	38	40	42	44	46	48	50	52	54										m
	4,00	3,77	3,56	3,36	3,19	3,03	2,88	2,75	2,62	2,51										t
49,7 m	37,4	38	40	42	44	46	48													m
	4,00	3,90	3,68	3,48	3,30	3,13	2,98													t
43,8 m	38,4	40	42																	m
	4,00	3,77	3,57																	t
37,9 m	35,2	36																		m
	4,00	3,87																		t
32,0 m	30																			m
	4,00																			t




8,0 T ULTRALIFT CONTROL

67,4 m	15,7	16	18	20	24	26	29	30	32	34	36	38	40	42	46	48	50	52	54	56	58	60	62	64	66	m
	8,00	7,85	6,89	6,13	5,00	4,57	4,04	3,89	3,61	2,37	2,15	2,96	2,79	2,63	2,36	2,24	2,13	2,03	1,94	1,86	1,78	1,70	1,63	1,57	1,50	t
61,5 m	16,9	18	20	24	26	28	31	32	34	36	38	40	42	46	48	50	52	54	56	58	60					m
	8,00	7,46	6,64	5,42	4,96	4,56	4,07	3,92	3,66	3,43	3,22	3,03	2,87	2,58	2,45	2,33	2,22	2,12	2,03	1,94	1,86					t
55,6 m	18,1	20	24	26	28	30	32	34	36	38	40	42	46	48	50	52	54									m
	8,00	7,28	5,95	5,44	4,82	4,64	4,32	4,03	3,78	3,55	3,35	3,17	2,85	2,71	2,58	2,46	2,36									t
49,7 m	19,5	20	24	26	28	30	32	35	36	38	40	42	46	48												m
	8,00	7,57	6,20	5,67	5,22	4,84	4,50	4,07	3,94	3,70	3,49	3,30	2,97	2,83												t
43,8 m	20,4	24	26	28	30	32	34	36	38	40	42															m
	8,00	6,69	6,12	5,64	5,23	4,86	4,54	4,26	4,01	3,78	3,58															t
37,9 m	23,4	26	28	30	32	34	36																			m
	8,00	7,01	6,46	5,99	5,58	5,22	4,90																			t
32,0 m	23,6	26	28	30																						m
	8,00	7,20	6,64	6,16																						t

MECCANISMI DRIVING UNITS MECANISMES D'ENTRAINEMENT ANTRIEBE


	g/1'	0,26 / 0,48 / 0,7
	Nm	-
	Kw	2 x 4,8
	m/1'	18,5 / 53,5 / 54
	Nm	-
	Kw	6,6
	m/1'	18
	Nm	-
	Kw	2 x 4
	kVA	400 V 50 Hz
	22 FV4 40	60
	30 FV4 40	70
	40 FV5 40	98
	55 FV5 40	120






	Kw	CV - ch PS - HP	m	Marcia Step	m/1'	t	m/1'	t
22 FV4 40	22,2	30	270	1	0-26	4,0	0-13	8,0
				2	0-35	3,0	0-17,5	6,0
				3	0-44	2,4	0-22	4,8
				4	0-64	1,75	0-34	3,5
30 FV4 40	30	40	400	1	0-36	4,0	0-13	8,0
				2	0-47	3,0	0-17,5	6,0
				3	0-61	2,4	0-22	4,8
				4	0-80	1,75	0-34	3,5
40 FV5 40	40	54	400 (*) 670 Lebus	1	0-4	4,0	0-2	8,0
				2	0-45	4,0	0-2,5	8,0
				3	0-62	3,0	0-31	6,0
				4	0-77	2,4	0-38,5	4,8
				5	0-80	1,75	0-50	3,5
55 FV5 40	55	75	400 (*) 670 Lebus	1	0-5	4,0	0-2,5	8,0
				2	0-56	4,0	0-28	8,0
				3	0-77	3,0	0-38	6,0
				4	0-96	2,4	0-48	4,8
				5	0-125	1,75	0-62	3,5



(I) Dati Reazioni, così come altezze gancio speciali : su richiesta.
 Data reactions, as well as special hook heights on request.
 Réactions de données, ainsi que des hauteurs sous crochet spéciales sur demande.
 Daten Reaktionen, sowie spezielle Haken Höhen auf Anfrage.

H = Altezza sotto gancio
 Height under hook
 Hauteur sous crochet
 Hubhöhe



Denominazione Description	Pos. Item	Pezzi Pieces	Schizzo Sketch	(mm)			(Kg)		
				L	W	H	Unit.	Total.	
Elemento di freccia Jib element Elément de flèche Ausleger	1	1 N°1			9.360	1.175	2.340	*	4100
		1 N°2			6.155	1.150	2.315	*	1460
		1 N°3			6.170	1.150	2.300	*	1015
		1 N°4			6.140	1.150	2.300	*	850
		1 N°5			6.110	1.150	2.250	*	690
		1 N°6			6.105	1.150	2.230	*	630
		1 N°7			6.080	1.150	1.900	*	440
		1 N°8			6.080	1.150	1.890	*	400
		1 N°9			6.040	1.150	1.885	*	375
		1 N°10			6.005	1.150	1.870	*	340
		1 N°11			6.005	1.150	1.870	*	330
Controfreccia girevole,organo di sollev. quadro elettrico etc. Counterjib-turnstile, hoisting winch, electrical box etc. Contreflèche tournante,treuil de levage, armoire électrique. Gegenausleger, Hubwinde, Drehwerk Schaltschrank.	2	1			7.660	2.00	2.380	*	8500
Elemento controfreccia esterno. External counterjib. Contreflèche extérieure. Externes gegenausleger.	3	1			8.340	1.570	1.435	*	2860
Porta-cabina, cabina etc. Service and, access balcony, cabin etc. Plateforme tournante, cabine. Kabinepodest, Kabine.	4	1			3.100	2.360	1.950	*	600
Elemento di torre Tower element Elément de mature Turmstück	5	-			11.8	1.7	1.9	*	4135
	6	-			5.9	1.7	1.9	*	2267
	7	-			2.95	1.7	1.9	*	1335
Tronchetto di fondazione Expendable foundation element Elément a sceller Fundamentanker	8	-			1.465	1.98	1.98	*	830

Denominazione Description	Pos. Item	Pezzi Pieces	Schizzo Sketch		(mm)			(Kg)	
					L	W	H	Unit.	Total.
Trave di base principale Base main beam Poutre de chassis de base Tragholm lang	9	1		4,5x4,5mt	6,530	0,780	0,960	*	2595
				6,0x6,0mt	8,645	0,780	0,960	*	3475
Semi-trave di base Half base beam Semipoutre de chassis de base Tragholm kurz	10	1		4,5x4,5mt	3,212	0,680	0,974	1235	2470
				6,0x6,0mt	4,323	0,680	0,974	1745	3490
Bilancino di traslaz. folle Driven boige Boggie fou Fahrschemel ohne Antrieb	11	2			1.16	0.25	0.503	455	960
Bilancino di traslaz. motoriz. Driving boige Boggie motorisee Fahrschemel ohne Antrieb	12	2			1.16	0.59	0.503	680	1360
Blocco di zavorra Base ballast block Lest de base Grundballastblöcken	13	30		(Z 295)	3.600	0.300	1.200	2950	88500
Blocco di appoggio Concrete pad Sabot en béton Betonfuss	14	4		(BA 3)	3.600	0.900	0.750	5520	22080
Blocchi di contrappeso Counterweight block Contre-poids Gegengewichtsblocke	15	1		A 125	3.000	0.185	1.200	1250	1250
		6		B 250	3.000	0.370	1.200	2500	15000
Elemento di torre Tower element Elément de mature Turmstück	16	-			2.950	2.270	2.270	1530	1530
	17	-			5.900	2.270	2.270	2700	2700
	18	-			11.800	2.270	2.270	5100	5100
Tronchetto di fondazione Expendable foundation element Elément a sceller Fundamentanker	19	1			1.820	2.400	2.400	1370	1370
Gabbia di motaggio Climbing cage Cage de montage Hydraulikbühne	20	1			8.530	3.100	2.300	7.670	7.670



Documento commerciale non vincolante, per tutte le informazioni tecniche fare riferimento al manuale istruzioni.
This commercial document is not legally binding. For any technical information, please refer to the corresponding instructions.
Document commercial non contractuel. Pour toute information technique se référer à la notice correspondante.
Unverbindliches Vertriebsdokument. Für technische Informationen, siehe die entsprechenden Anweisungen.

Rev. "0913"

